

L Number	Hits	Search Text	DB	Time stamp
4	92842	((709/(203-204,217,219,223,246).ccls.) or (707/(3,10).ccls.)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/22 14:45
5	7	(((709/(203-204,217,219,223,246).ccls.) or (707/(3,10).ccls.)) and @ad<20010412) and (multiple or plurality or number or many or different) adj3 (portal adj server)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/22 14:46
-	2	20020046254.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 10:31
-	2	("6510468").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 10:35
-	2	customiz\$3 adj3 (content or document\$1! or page\$1!) same (drag-drop or (drag with drop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 10:40
-	8	(prefer\$5 or interest or customiz\$3) adj3 (content or document\$1! or page\$1!) same (drag-drop or (drag with drop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 11:01
-	98	identify\$3 adj5 (information or data or document) adj4 (select\$3 or highlight\$5 or mark\$3) adj4 user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 11:02
-	59	(identify\$3 adj5 (information or data or document) adj4 (select\$3 or highlight\$5 or mark\$3) adj4 user) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 12:51
-	7688	habitat and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 12:53
-	1	habitat same (customiz\$5) adj3 (content or document or information or page) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 12:55
-	6	habitat and (customiz\$5) adj3 (content or document or information or page) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 13:07
-	240	portal and (customiz\$5) adj3 (content or document or information or page) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 13:08
-	447	portal and (customiz\$5 or preference or interest) adj3 (content or document or information or page) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/17 13:08
-	90	portal same (customiz\$5 or preference or interest) adj3 (content or document or information or page) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:56

	1	(customiz\$5 or preference or interest) adj3 (habitat) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:13
	77	(mark\$3 or highlight\$5) and (portal same (customiz\$5 or preference or interest) adj3 (content or document or information or page) and @ad<20010412)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 15:45
	145	customiz\$3 same drag\$4 with drop and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 16:12
	0	select\$3 adj (URL or source) adj5 dropP\$4 adj3 window and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 16:13
	0	select\$3 adj (URL or source) adj5 (add\$3or dropP\$4) adj3 (screen or window) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 16:14
	0	select\$3 adj (URL or source) with (add\$3or dropP\$4) adj3 (screen or window) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 16:14
	3	select\$3 adj (URL or source) with (add\$3or dropP\$4) with (screen or window) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 16:55
	85	source with content with customiz\$5 and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:20
	10073	retriev\$3 adj3 (information or data or content or document) with (highlight\$5 or select\$3 or mark\$3) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:22
	1441	retriev\$3 adj3 (information or data or content or document) with (highlight\$5 or select\$3 or mark\$3) near4 user and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:22
	71	retriev\$3 adj3 (information or data or content or document) with (highlight\$5 or mark\$3) near4 user and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:26
	2	habitat with marker and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:27
	354	(proxy or portal or server or gateway or habitat) with marker and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:28
	1	(proxy or portal or server or gateway or habitat) with marker same (customiz\$5 or personaliz\$5) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:29

-	32	(creat\$3 or generat\$3 or construct\$3) adj3 (tag or marker) with ((client or user) near3 select\$4) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 12:59
-	54	(window or display or screen) near3 shar\$3 with (mulitple or plurality or number or different or many) adj3 (users or clients or participants or subscribers) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:57
-	5	(window or display or screen) near3 shar\$3 with (mulitple or plurality or number or different or many) adj3 (users or clients or participants or subscribers) and @ad<20010412 and (proxy or router or gateway or hub or (intermediate adj (node or device or server)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:26
-	2	("5008853").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:26
-	77	(window or display or screen) near3 shar\$3 with (mulitple or plurality or number or different or many) adj3 (users or clients or participants or subscribers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:33
-	135	(display\$3 adj4 (information or document or data or page or content) adj4 (screen or window or monitor) adj5 (habitat or router or server or proxy or gateway or hub))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 14:00
-	51	(display\$3 adj4 (information or document or data or page or content) adj4 (screen or window or monitor) adj5 (habitat or router or server or proxy or gateway or hub)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 15:19
-	0	((primary or first or original or main) adj (habitat or hub or proxy or gateway)) adj4 (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat or hub or proxy or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 15:51
-	28	((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat or hub or proxy or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 15:23
-	17	((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat or hub or proxy or gateway)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 15:24
-	28	((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat or hub or proxy or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 15:54
-	2026	((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (second or other or another or secondary) adj (habitat or hub or proxy or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 15:55
-	18591	(first adj (portal adj server) or ISP)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 16:27

	53	(first adj ((portal adj server) or ISP)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 17:41
	8	(first adj (proxy or gateway or hub or (gate adj way)) or portal)) adj5 (access\$3 or request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3 (habitat or portal or ((proxy or gateway or hub or (gate adj way)) or portal)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 17:48
	1	((first adj (proxy or gateway or hub or (gate adj way)) or portal)) adj5 (access\$3 or request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3 (habitat or portal or ((proxy or gateway or hub or (gate adj way)) or portal)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 17:47
	68	(first adj (proxy or gateway or hub or (gate adj way)) or portal)) with (access\$3 or request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3 (habitat or portal or ((proxy or gateway or hub or (gate adj way)) or portal)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 17:53
	17	((first adj (proxy or gateway or hub or (gate adj way)) or portal)) with (access\$3 or request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3 (habitat or portal or ((proxy or gateway or hub or (gate adj way)) or portal)) and @ad<20010412 and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:20
	8729	(connection or communication\$3) adj4 (between adj4 gateways or proxies or habitat or hubs) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:21
	3796	(connection or communication\$3) adj4 (between adj4 gateways or proxies or habitat or hubs) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:22
	1444	(point-to-point adj3 connection or communication\$3) adj4 (between adj4 gateways or proxies or habitat or hubs) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:23
	42	(point-to-point adj3 (connection or communication\$3)) adj4 (between adj4 gateways or proxies or habitat or hubs) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:27
	36	((connection or communication\$3)) adj4 (between adj4 gateways or proxies or habitat or hubs)) with (retriev\$3 or request\$3 or access\$3) adj4 (information or data or content or document) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:35
	64	(plurality or (first with second)) adj2 (gateways or proxies or habitat or hubs) with (retriev\$3 or request\$3 or access\$3) adj4 (information or data or content or document) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:37
	100	(customiz\$7 or personal\$7) adj4 (portal adj page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/22 11:10

-	15	(customiz\$7 or personal\$7) adj4 (portal adj (site\$1! or page\$1!)) near4 (shar\$3 or access\$3 or view\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/22 11:13
-	7	(customiz\$7 or personal\$7) adj4 (portal adj (site\$1! or page\$1!)) near4 (shar\$3 or access\$3 or view\$3) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/22 12:04
-	14	((multiple or plurality or number or many or different) adj3 (portal adj server)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/22 14:46